



MAGfinity® Track Luminaires

Capella S



Body color: Black matt finish

Color Rendering Index: >90

Power consumption: 5W


Available color temperatures: 3000K / 3500K / 4000K

Available beam angle: 20 / 30 / 40 Degrees

ORDERING GUIDE: MAGfinity Capella S /BLK /20D /3000K

30D 3500K



40D 4000K



Capella S IES package



Capella M



Body color: Black matt finish

Color Rendering Index: >90

Power consumption: 10W


Available color temperatures: 3000K / 3500K / 4000K

Available beam angle: 18 / 24 / 36 Degrees

ORDERING GUIDE: MAGfinity Capella M /BLK /18D /3000K

34D 3500K



36D 4000K



Capella M IES package



Moonline S



Body color: Black matt finish


Color Rendering Index: >90

Power consumption: 13W

Available color temperatures: 3000K / 3500K / 4000K



Available beam angle: 34 Degrees

ORDERING GUIDE: MAGfinity Moonline S /BLK /120D /3000K
3500K
4000K



[Moonline S IES package](#)

Moonline M



Body color: Black matt finish


Color Rendering Index: >90

Power consumption: 26W

Available color temperatures: 3000K / 3500K / 4000K



Available beam angle: 34 Degrees

ORDERING GUIDE: MAGfinity Moonline M /BLK /120D /3000K
3500K
4000K



[Moonline M IES package](#)

Aurora S



Body color: Black matt finish


Color Rendering Index: >90

Power consumption: 8W

Available color temperatures: 3000K / 3500K / 4000K




Available beam angle: Asymmetric

ORDERING GUIDE: MAGfinity Aurora S /BLK /ASYM /3000K
3500K
4000K



[Aurora IES package](#)

Starline S



Starline S IES package 

Body color: Black matt finish

Color Rendering Index: >90



Power consumption: 8W

Available color temperatures: 3000K / 3500K / 4000K

Available beam angle: 34 Degrees

ORDERING GUIDE: MAGfinity Starline S /BLK /34D /3000K
3500K
4000K

Starline M



Starline M IES package 

Body color: Black matt finish

Color Rendering Index: >90



Power consumption: 16W

Available color temperatures: 3000K / 3500K / 4000K

Available beam angle: 34 Degrees

ORDERING GUIDE: MAGfinity Starline M /BLK /34D /3000K
3500K
4000K

Starline Fold S



Starline Fold IES package 

Body color: Black matt finish

Color Rendering Index: >90



Power consumption: 8W

Available color temperatures: 3000K / 3500K / 4000K

Available beam angle: 34 Degrees

ORDERING GUIDE: MAGfinity Starline Fold S /BLK /34D /3000K
3500K
4000K

Orion S



Orion S IES package 

Body color: Black matt finish

Color Rendering Index: >90

Power consumption: 5W

Available color temperatures: 3000K / 3500K / 4000K



Available beam angle: 20 / 30 / 40 Degrees

ORDERING GUIDE: MAGfinity Orion S /BLK /20D /3000K

30D 3500K

40D 4000K

Orion M



Orion M IES package 

Body color: Black matt finish

Color Rendering Index: >90

Power consumption: 10W

Available color temperatures: 3000K / 3500K / 4000K

Available beam angle: 18 / 24 / 36 Degrees

ORDERING GUIDE: MAGfinity Orion M /BLK /18D /3000K

24D 3500K

36D 4000K

<https://centerlight.com/magfinity/>